[present time data generating means for] a present time data generator generating present time data indicating a present time;

[comparing means for] a comparator comparing the period of time with the present time;

[serving means for] a server serving the content when said [comparing means] comparator judges that the present time falls within the [sales] period of time.

2. (ALLOWED - TWICE AMENDED) A terminal according to claim 1, further comprising: a single medium, forming the content medium, storing a plurality of locked contents, each locked content provided with a period thereof and wherein the [serving means] server supplies said terminal with a key for unlocking the content.

(ALLOWED - TWICE AMENDED) A terminal according to claim 1, wherein said [serving means] server submits a request to a center when the present time falls within the period of time.

4. (ALLOWED - TWICE AMENDED) A sales system comprising:

a terminal comprising:

[period reading means for] a period reader reading a period on a content



and

medium indicating a period of time during which [the] a content can be served by submitting a request to a center;

[present time data generating means] a present time generator for generating present time data indicating a present time;

[comparing means for] a comparator comparing the period of time with the present time; and

[requesting means for] <u>a requestor</u> submitting a request to [the] <u>a</u> center for obtaining use of the content when said [comparing means] <u>comparator</u> judges that the present time falls within the period of time; and

the center comprising:

[key supplying means for] a key supplier supplying said terminal with a key for unlocking the content when the present time falls within the period of time.

5. (ALLOWED - TWICE AMENDED) A sales system according to claim 4, wherein said center <u>further</u> comprises[:] a database registered with the period of the content[;].

(ALLOWED - TWICE AMENDED) A terminal according to claim 3, wherein said terminal further comprises[:] [second comparing means for] a second comparator comparing [the] an effective period of time with the present time and determining whether the present time is within the effective period of time.



7. (ALLOWED - TWICE AMENDED) A terminal according to claim 2, wherein said terminal further comprises:

a disk for storing the contents; and

[installing means for] an installer installing a loader for the content.

(ALLOWED - TWICE AMENDED) A sales system according to claim 4,

further comprising:

[period data changing means for] <u>a period data changer</u> changing period data indicating a serving period of the contents, and

wherein said terminal further comprising:

[second comparing means for] a second comparator comparing [the] an effective period of time with the present time and determining whether the present time lies within the effective period of time.

9. (TWICE AMENDED) A <u>computer readable</u> storage device [readable by a computer] <u>which contains content, a period concerning the content, and a program executed by a computer, [comprising:</u>

means for storing a content including a period concerning the content and a program executed by the computer

wherein said program

200X

reads the period;

generates present time data indicating a present time;

compares the period with the present time; and

judges that the present time data falls within said period or falls outside the period

[means for accessing said program].

10. (TWICE AMENDED) A computer readable storage <u>device including both</u> content and a period concerning the content, the storage device is accessed by a computer, [comprising:

a content assessable by a user via a computer;

period data indicating a period of time during which the contents can be accessed by the

user; and

a program which causes the computer to refuse access to the content by the user if a present date falls outside of the time period indicated by the period data.].

wherein said computer:

reads the period;

generates present time data indicating a present time;

compares the period with the present time; and

judges that the present time data falls within the period or falls outside of said

period.

11. (TWICE AMENDED) A storage device according to claim 9, wherein the period

is written as single terminal data indicating [the] starting or ending [of the] time interval.

12. (TWICE AMENDED) A computer-readable medium encoded with a computer

program which performs the following functions:

reads a period, stored on a disk, indicating a period of time during which content on the

disk can be served;

generates present time data indicating a present time;

compares the period with the present time; and

judges that the present time falls within the period or falls outside of said period

[transforms a result of said comparison to data reflecting that a user is allowed to utilize the

content, when the present time falls within the period].

(TWICE AMENDED) A terminal comprising:

a reading device which reads a period, stored on a content medium, indicating a period of time during which content stored on the content medium can be served;

a clock for indicating a present time;

a comparator which determines if the present time falls within the period of time; and

a server which serves [the] content on the content medium when the comparator determines that the present time falls within the period of time.

14. (NOT AMENDED HEREIN) A sales system comprising:

a content medium storing a locked content and a period for the locked content;

a center which provides a key to unlock the locked content when a present time falls within the period;

15. (TWICE AMENDED) A method for ascertaining a sales period exists,

said method comprising:

reading a period stored on a medlum indicating a serving period of time;

generating present time data indicating a present time; and

comparing the period stored on the medium with the present time to judge whether said

present time falls within the [sales] period of time.

Please add the following new claims.

16. (NEW) A storage device readable by a computer comprising:

[means for] a storer storing a content including a period concerning the content and a program executed by the computer, wherein said program:

/\\

reads the period;

generates present time data indicating a present time; and compares the period with the present time;

[means for] an accessor accessing said program; and

[means for] a server serving the content when the period is compared with the present time and it is determined that the present time falls within said period.

17. (NEW) A computer readable storage comprising:

a content assessable by a user via a computer;

period data indicating a period of time during which the content can be accessed by the

user;

a program which causes the computer to refuse access to the content by the user if a present date falls outside of the [time] period of time indicated by the period data; and a serving unit to serve the content when said program does not cause the computer to refuse access to the content.

18. (NEW) A computer-readable medium encoded with a computer program which performs the following functions:

reads a period, stored on a disk, indicating a period of time during which a content on the disk can be served;

Sales Sales